

# Enforced Vaccination Ahead?

*I have a copy of the Massachusetts law, mentioned below. Section 13 says that any person refusing certain procedures will be fined 3 days imprisonment or a \$1,000 a day fine, until compliance is obtained. Vaccination may be part of it. vf*

“Department of Homeland Security officials are declaring that any disease outbreak is a matter of homeland security. Department of Defense officials are defining public demonstrations as ‘low level terrorism.’ In some states, doctors have persuaded legislators to quickly pass pandemic influenza legislation that will allow state officials to enter homes and businesses without the approval of occupants; to investigate and quarantine individuals without their consent; to require licensed health care providers to give citizens vaccines and to ban the free assembly of citizens in the state.”—*Barbara Loe Fisher, President of the National Vaccine Information Center, 6/18/09.*

**U.S. federal plans are moving toward a massive vaccination of the public with a vaccine that has only recently been developed and has undergone very limited testing for possible severe side effects. Whether or not it will actually occur is not yet known.**

According to the CDC, approximately 36,000 people die each year in the U.S. from the regular flu. That averages to about 100 people a day. The total number of confirmed mortalities in the U.S. from the swine flu since the virus was identified in March is less than 200, less than the number of people who die in two days from the regular flu.

Plans have been made and laws have already been passed to restrict constitutional rights during a pandemic. And in spite of the low severity of the swine flu, a pandemic of the highest level has already been declared by the World Health Organization. At worse, these new laws can be used to declare martial law and suspend constitutional rights.

Mandatory vaccines would bring billions of dollars to big pharma. They might begin with our children

**In some states, like Massachusetts, public health doctors have persuaded legislators to quickly pass pandemic influenza legislation that will allow state officials to enter homes and businesses without the approval of occupants; to investigate and quarantine individuals without their consent; to require licensed health care providers to give citizens vaccines and to ban the free assembly of citizens in the state** ([1] *Commonwealth of Massachusetts. An Act Relative to Pandemic and Disaster Preparation and Response in the Commonwealth; Senate No. 2028.* [2] *Associated Press. Mass Senate Approves*

*Pandemic Flu Prep Bsill. April 28, 2009).*

Department of Homeland Security officials are declaring that any disease outbreak is a matter of homeland security. ([1] *Department of Homeland Security Press briefing on swine influenza with Department of Homeland Security, Centers for Disease Control, and White House, April 26, 2009.* [2] *Presentation by Dr. Asha George, Senior Professional Staff, Committee on Homeland Security, U.S. House of Representatives on Preventing Pandemic Outbreaks at the Promoting Healthy Lifestyles Conference Sponsored by the Black and Hispanic Caucuses of State Legislators. June 13, 2009, San Juan, Puerto Rico.*)

Department of Defense officials are defining public demonstrations as “low level terrorism” (*Oakland Tribune Staff. Defense Department Sees Protests as Terrorism. Contra Costa Times. June 15, 2009.*)

CDC officials are making plans to re-route airplanes to designated airports with quarantine centers to screen all passengers for signs of swine flu (*Turnbell M, Powers S. MIA may be a quarantine site in pandemic. Miami Herald. June 10, 2009.*)

Fast tracked experimental pandemic flu vaccines are being created to be given to American children first.

**Whenever the CDC declares a public health emergency, that declaration allows the Food and Drug Administration to permit emergency use authorization for drug companies to fast track creation of experimental drugs and vaccines that do not have to be tested as thoroughly as vaccines that go through the normal FDA licensing process. In this case, Congress responded to the public health emergency declaration by giving a group of drug companies one billion dollars on May 27** to fast track experimental swine flu vaccines that may include whole live (*Washington Post. June 2, 2009*), killed, or genetically engineered human and animal influenza viruses, chemicals, and potentially reactive oil based adjuvants that manipulate the immune system to boost the vaccine’s potency (*Bloomberg News, May 22, 2009*).

Every pharmaceutical drug, including vaccines, carries a risk; and those risks are greater for some than others.

True type A or type B influenza only causes about 20 percent of all flu-like symptoms that people experience during any given flu season. **Fully 80 percent of all flu-like illness in a normal flu season is NOT caused by the type A and B strains of influenza for which annual flu shots are given. And vaccine acquired immunity is temporary, while immunity gained after recovering from influenza is longer lasting** (*Pediatr Infect Dis J. May 24, 2005*).”

**Bernard Rimland, Ph.D., Testimony Before the House Committee on Government Reform, April 6, 2000. The Autism Increase: Research Needed on the Vaccine Connection:**

“My name is Bernard Rimland. I am a research psychologist (Ph.D.) and am Director of the Autism Research Institute, which I founded in 1967. I am also the founder of the Autism Society of America (1965), and the editor of the *Autism Research Review International*. My book, *Infantile Autism: The Syndrome and Its Implication for a Neural Theory of Behavior* (1964) is widely credited with changing the field of psychiatry from its claim that autism is an emotional illness, caused by destructive mothers, to its current recognition that autism is a biological disorder. I have lectured on autism and related problems throughout the world, and am author of numerous publications. I served as primary technical advisor on autism for the film **Rain Man**.

“My son Mark was born in 1956. It was obvious from birth that this perfectly normal-looking infant had something drastically wrong with him. I had earned my Ph.D. in experimental psychology 3 years earlier and had never encountered the word autism. Our pediatrician, with 35 years of experience, had never heard of autism either. Autism was extremely rare then. – it is extremely common now.

“Some supposed experts will tell you that the increase reflects only greater awareness. That is nonsense. Any pediatrician, teacher, or school official with 20 or more years experience will confirm what the studies tell us: There is a real increase in autism and the numbers are huge and growing. The epidemic is serious and worldwide.

“Soon after my textbook on autism was published in 1964, I began to hear from other parents. Many parents told me that their children were normal until getting a triple vaccine – the DPT shot. In 1965 I began systematically collecting data on the symptoms and possible causes of autism: In 1967—33 years ago—I began querying the parents, specifically about the child’s response to the DPT shot. Many had reported marked deterioration.

“During the past few years the Autism Research Institute has been flooded with an upsurge in pleas for help from parents throughout the world – from wherever the World Health Organization vaccine guidelines are followed. The majority of these parents say their children were normal until getting the MMR – another triple vaccine.

“Let me dispel several myths promoted by those who deny the autism-vaccine connection:

“1. They claim the vaccines are safe, but physicians are indoctrinated to disbelieve claims of harm and are not trained to recognize nor required to report any adverse reactions. From 90% to 99% of the adverse reactions reported to doctors are never reported by those doctors to the government’s extremely lax Vaccine Ad-

verse Event Reporting System, known as the VAERS.

“2. They say that the suspected linkage between the MMR vaccination and autism has been disproved by a study conducted by Brent Taylor and his colleagues in London, and published last year in *The Lancet*. The Taylor study is seriously flawed in many ways, as had been noted in a number of letters to the editor of *The Lancet* and in a number of additional letters on the subject which have been posted on the internet. It was subject to strong attack at a recent meeting of the British Statistical Society. I have been a full-time researcher my entire professional life, for almost 50 years; and I respectfully asked Dr. Taylor for a copy of the data, so that I could reanalyze them. He refused this ordinary professional courtesy; and I have subsequently written to the editor of *The Lancet*, requesting that an impartial committee be asked to reexamine Dr. Taylor’s statistical methods. If he refuses again, I urged *The Lancet* to retract his paper.

“3. They say that autism has a large genetic component; and therefore vaccines must play a minimal, if any, role in the causation of autism. My book, *Infantile Autism*, published in 1964, was the first systematic attempt to marshal the evidence for genetics as a contributing cause of autism; so I am certainly not hostile to that idea. However, genes do not begin to account for the huge increase in the incidence of autism, ranging from 250% to 500% in various places. I might add that we have just reviewed all of the recent genetic studies for the next issue of the *Autism Research Review International*, which I edit. The results are spectacularly inconsistent. The best guess is that there are at least 20 different genes involved in the causation of autism. Gene therapy is decades off, and may be infeasible.

“4. They claim that autism naturally occurs at about 18 months, when the MMR is routinely given; so the association is merely coincidental and not causal. But the onset of autism at 18 months is a recent development. Autism starting at 18 months rose very sharply in the mid-1980s, when the MMR vaccine came into wide use. A coincidence? Hardly! See the graph below.

“Autism is not the only severe chronic illness which has reached epidemic proportions as the number of (profitable) vaccines has rapidly increased. Children now receive 33 vaccines before they enter school – a huge increase. The vaccines contain not only live viruses but also very significant amounts of highly toxic substances such as mercury, aluminum, and formaldehyde. Could this be the reason for the upsurge in autism, ADHD, asthma, arthritis, Crohn’s disease, lupus, and other chronic disorders?

“As a parent and as a full-time professional researcher, I am bitterly disappointed with the medical establishment’s dismal record with regard to autism over the past 60 years. The medical schools, as well as the governmental agencies, have consistently supported outmoded, unproven and even disproven theories from the very beginning, and have actively opposed the most promising approaches for the treatment of autism. They supported the psychoanalytically based theories which

held the mother responsible for causing autism through her supposedly hostile attitude toward the child. They opposed the use of behavior modification, the most uniformly beneficial treatment for autism, by claiming that it neglected the deep-seated emotional blocks that were supposedly at the root of autism. They have ignored, and continue to ignore, the long series of studies conducted both in the U.S. and Europe showing that the elimination of foods containing gluten and casein from the diet brings about marked improvement in many autistic children. They have consistently ignored the series of 18 consecutive studies, conducted by researchers in 6 countries, which showed that almost half of all autistic children and adults respond favorably to high doses of vitamin B<sub>6</sub> and magnesium, with no adverse effects. Eleven of these studies were double-blind placebo-crossover experiments. There is no drug that comes close to B<sub>6</sub>/magnesium in terms of safety, efficacy and positive research findings.

"Tens of millions of dollars have been spent on non-productive lines of research, while virtually no money at all has been given to research on the methods of alternative medicine, which are far more promising in terms of both safety and efficacy.

"The most interesting questions are not being asked: Why does the majority of the population survive such epidemics as autism, the bubonic plague, Legionnaires' disease, polio and AIDS, while relatively few succumb?

"The answer is that the survivors have a healthy, effective immune system. Would enhancing the immune system decrease the likelihood of adverse reactions to vaccines (including the anthrax vaccine - DOD please note!)? Very probably.

"It is well known that the immune system must be adequately supplied with many nutrients if it is to function properly, including especially vitamins A, C, E, B<sub>6</sub> and a number of minerals, including zinc, magnesium, and selenium. Nutritional levels of these substances are not only harmless, they are essential to good health. Since people do not change their diets readily, I believe that foods should be fortified with these nutrients - especially foods that will be consumed by infants and children. Research along these lines - as well as on the safety of the vaccines - is desperately needed.

"As a parent and a researcher, I believe there should be a marked redirection of effort and funding, along the lines suggested above."

---

***Testimony of Barbara Loe Fisher to California State Legislature, May 2, 2002.***

"I come here as a parent of a son who had a neurological reaction to his fourth DPT shot at age two and a half that caused brain dysfunction, including multiple learning disabilities and attention deficit disorder (ADD), but who was fortunate not to lose his life or be left with mental retardation, uncontrolled epilepsy, autism, or other severe disabilities like so many of the vaccine injured children I have come to know. When my son had his vaccine reaction in 1980, children in America were told to get 23 doses of 7 vaccines. Today, children are told to get 37 doses of 11 vaccines.

3  
"In those 22 years since my son had his vaccine reaction, the numbers of American children with learning disabilities, attention deficit disorder, and asthma have doubled; diabetes has tripled; and the incidence of autism has reached epidemic proportions, increasing 200 to 600 percent in every state, marking a staggering 3400 percent increase in the prevalence of autism in our children.

"Nobody knows why this has happened. But everyone at the Centers for Disease Control and American Academy of Pediatrics, the two medical groups that make vaccine policy in this country, vigorously deny that the many vaccines they have urged be mandated in the past quarter century could have anything to do with why more and more of our children are chronically ill. They say that vaccines only rarely cause chronic health problems.

"Yet, the haunting question remains: if we have wiped out polio and almost eliminated measles, mumps, rubella, whooping cough, and other childhood diseases with vaccines—why are so many of our children sick? Why are our special education classrooms so crowded that we can't find enough money or train teachers fast enough to care for these learning disabled, hyperactive, autistic, asthmatic, diabetic, emotionally disturbed, sick children?

"Something is wrong with this public health report card. And before we go any further and mandate one more vaccine for day care or kindergarten entry - whether it is Prevnar or hepatitis A or some other vaccine - we had better find out if the repeated manipulation of the immune system with lab altered viruses and bacteria adulterated with mercury, aluminum, formaldehyde, and other toxins which are administered to our babies from birth through the first five years of life when the brain and immune system is developing at its most rapid rate is contributing to these skyrocketing increases in chronic illness in our children."

---

***Dr. Buttram, Commenting on Dr. Rimland's Testimony.***

"At the present time there are growing public and professional concerns about the safety of currently mandated childhood vaccine programs, as reflected by a series of annual Congressional hearings in Washington, D.C., that have taken place since 1999, sponsored by the U.S. House Government Reform Committee under the chairmanship of Congressman Dan Burton. At an annual conference of the American College for the Advancement of Medicine during April 2001, with several hundred physicians in attendance, when one of the speakers asked how many in attendance had concerns about the safety of current childhood vaccines, a large majority raised their hands. The Autism Research Institute of San Diego is now widely known as an active support group for families with autistic children and is one of the more active organizations in this field. Its founding director, Bernard Rimland, Ph.D., has provided the statistics that, in their experience, from 50% to 60% of parents with autistic children believe that their children were damaged by vaccines. In our own



4 office, we have seen many autistic children in recent years; and our own experience has been very similar, many parents reporting that deterioration of their children took place following vaccines.”

---

**October 2007 New England Journal of Medicine - Vaccine Damage: Parents receive \$2 Billion compensation payouts.**

“Vaccine manufacturers have paid out nearly \$2 billion in damages to parents in America whose children were harmed by one of the childhood jabs such as the MMR (measles-mumps-rubella) or DPT (diphtheria-pertussis-tetanus). In all, around 2,000 families have received compensation payments that have averaged \$850,000 each. There are a further 700 claims that are going through the pipeline. None of the claims is for autism as medical researchers say they have failed to find a link between the disease and the MMR vaccine, despite the initial findings made by Dr. Andrew Wakefield. Instead they are for a wide spectrum of physical and mental conditions that are likely to have been caused by one of the vaccinations. Around 7,000 parents have filed a claim of an adverse reaction with America’s Vaccine Injury Compensation Program (VICP). To win an award, the claimant must prove a causal link to a vaccine. As the medical establishment has refused to recognise any link to autism, the VICP has so far rejected 300 claims for this outright (source: New England Journal of Medicine, 2007; 357: 1275-9).”

---

**Dr. Andrew Moulden B.A., M.A., M.D., Ph.D.**

“Baby M was a healthy child. On January 24th, 2007, at 15 months of age, this child received an MMR vaccination administered at Harbor Pediatrics, Orange County, California, as part of the standard well baby examination/follow-up. Within hours of vaccination this child began exhibiting symptoms and signs consistent with an adverse reaction to vaccination. He became withdrawn, listless, bradyphrenic, and bradykinetic. He exhibited increased sensitivity to noxious stimuli. He exhibited a progressive decrease in spontaneous vocalizations. He developed difficulties moving his arms and legs. He had testicular swelling. His facial expression and animation became flat. Subtle ischemic bulbar palsies emerged. He experienced emesis 2 days post vaccination. Child Michael’s condition continued to deteriorate, neurobehaviorally, despite the family’s repeat visits to medical professionals seeking answers to Child Michael’s MTM emerging clinical symptoms and signs. Ultimately, the deterioration progressed to seizures, apnea, intubation (respiratory failure in hospital), and brain death. This was a progressive decline in function over a 19 day period.”

---

**Rebecca Carley, M.D.**

“If children receive all recommended vaccines, they will receive 2,370 times the “allowable safe limit” for

mercury in the first two years of life (as if there is such a thing as a “safe” amount of a toxic poison). Yet, even after Congressional hearings instigated by Congressman Dan Burton (whose own grandchild became autistic after receiving vaccines) resulted in the FDA requesting (not ordering) vaccine manufacturers to remove this toxic heavy metal from their products, mercury is still present in many vaccines.”

---

**How Safe Is Universal Hepatitis B Vaccination? by Burton A. Waisbren, Sr., M.D.**

“To be presented here are four patterns that raise some concerns about vaccinating all babies in the U.S. with the hepatitis B vaccine. The patterns are as follows: The historical pattern of events that followed the introduction of an antirabies vaccine in the late 1800s and of warnings regarding probable occurrence of vaccine complications given by medical scientists during the past 50 years; the pattern revealed by animal experimentation that showed that viruses and viral particles may cause demyelination and autoimmunity in a variety of species; the pattern of autoimmunity and demyelination that has been caused by the hepatitis B infection, itself; the pattern of clinical reports that reveal that demyelination and autoimmunity have appeared in patients vaccinated with hepatitis B vaccine.

“In October 1998, France became the first country to end hepatitis B vaccination requirements for schoolchildren, after reports that many children were developing chronic arthritis and symptoms resembling multiple sclerosis following the administration of the vaccine. In the U.S., some experts are worried about the effects of the still-mandatory injections here. Bonnie Dunbar, Ph.D., a Texas cell biologist and vaccine researcher, says, “It takes weeks and sometimes months for autoimmune disorders such as rheumatoid arthritis to develop following vaccination. No basic scientific research or controlled long-term studies into the side effects of this vaccine have been conducted on American babies, children, or adults.”

---

**Japan changed the start time for vaccinating from 3 months to two years and immediately their SIDS rate plummeted.**

**Raymond Obomsawin, M.D.**

“Delay of DPT immunisation until 2 years of age in Japan has resulted in a dramatic decline in adverse side effects. In the period of 1970-1974, when DPT vaccination was begun at 3 to 5 months of age, the Japanese national compensation system paid out claims for 57 permanent severe damage vaccine cases and 37 deaths. During the ensuing six year period, 1975-1980, when DPT injections were delayed to 24 months of age, severe reactions from the vaccine were reduced to a total of eight with three deaths. This represents an 85 to 90 percent reduction in severe cases of damage and death.”